



Novato Family Dental Care

BE TREATED LIKE FAMILY

INFORMED CONSENT AND AGREEMENT FOR THE INVISALIGN PATIENT

Your doctor has recommended the Invisalign system for your orthodontic treatment. Although orthodontic treatment can lead to a healthier and more attractive smile, you should also be aware that any orthodontic treatment (including orthodontic treatment with Invisalign aligners) has limitations and potential risks that you should consider before undergoing treatment.

DEVICE DESCRIPTION

Invisalign aligners, developed by Align Technology, Inc. (“Align”) consist of a series of clear plastic, removable appliances that move your teeth in small increments. Invisalign products combine your doctor’s diagnosis and prescription with sophisticated computer graphics technology to develop a treatment plan which specifies the desired movements of your teeth during the course of your treatment. Upon approval of a treatment plan developed by your doctor, a series of customized Invisalign aligners is produced specifically for your treatment.

PROCEDURE

You may undergo a routine orthodontic pre-treatment examination including radiographs (x-rays) and photographs. Your doctor will take impressions or intra-oral scans of your teeth and send them along with a prescription to the Align laboratory. Align technicians will follow your doctor’s prescription to create a ClinCheck software model of your prescribed treatment. Upon approval of the ClinCheck treatment plan by your doctor, Align will produce and ship a series of customized aligners to your doctor. The total number of aligners will vary depending on the complexity of your malocclusion and the doctor’s treatment plan. The aligners will be individually numbered and will be dispensed to you by your doctor with specific instructions for use. Unless otherwise instructed by your doctor, you should wear your aligners for approximately 20 to 22 hours per day, removing them only to eat, brush and floss. As directed by your doctor, you will switch to the next aligner in the series every two to three weeks. Treatment duration varies depending on the complexity of your doctor’s prescription. Unless instructed otherwise, you should follow up with your doctor at a minimum of every 6 to 8 weeks. Some patients may require bonded aesthetic attachments and/or the use of elastics during treatment to facilitate specific orthodontic movements. Patients may require additional impressions, or intra-oral scans, and/or refinement aligners after the initial series of aligners.

BENEFITS OF INVISALIGN *(not limited to the following)*

Invisalign aligners offer an aesthetic alternative to conventional braces and are nearly invisible so many people won’t realize you are in treatment.

Treatment plans can be visualized through the ClinCheck software.

Aligners allow for normal brushing and flossing tasks that are generally impaired by conventional braces.

Aligners do not have the metal wires or brackets associated with conventional braces.

The wearing of aligners may improve oral hygiene habits during treatment.

Invisalign patients may notice improved periodontal (gum) health during treatment.

RISKS AND INCONVENIENCES OF INVISALIGN *(not limited to the following)*

Like other orthodontic treatments, the use of Invisalign product(s) may involve some of the risks outlined below:

INFORMED CONSENT AND AGREEMENT FOR THE INVISALIGN PATIENT - CONTINUED

- _____ Failure to wear the appliances for the required number of hours per day, not using the product as directed by your doctor, missing appointments, and erupting or atypically shaped teeth can lengthen the treatment time and affect the ability to achieve the desired results;
- _____ Dental tenderness may be experienced after switching to the next aligner in the series;
- _____ Gums, cheeks and lips may be scratched or irritated;
- _____ Teeth may shift position after treatment. Consistent wearing of retainers at the end of treatment should reduce this tendency;
- _____ Tooth decay, periodontal disease, inflammation of the gums or permanent markings (e.g. decalcification) may occur if patients consume foods or beverages containing sugar, do not brush and floss their teeth properly before wearing the Invisalign products, or do not use proper oral hygiene and preventative maintenance;
- _____ The aligners may temporarily affect speech and may result in a lisp, although any speech impediment caused by the Invisalign products should disappear within one or two weeks;
- _____ Aligners may cause a temporary increase in salivation or mouth dryness and certain medications can heighten this effect;
- _____ Attachments may be bonded to one or more teeth during the course of treatment to facilitate tooth movement and/or appliance retention. These will be removed after treatment is completed;
- _____ Attachments may fall off and require replacement.
- _____ Teeth may require interproximal recontouring or slenderizing in order to create space needed for dental alignment to occur;
- _____ The bite may change throughout the course of treatment and may result in temporary patient discomfort.
- _____ In rare instances, slight superficial wear of the aligner may occur where patients may be grinding their teeth or where the teeth may be rubbing and is generally not a problem as overall aligner integrity and strength remain intact.
- _____ At the end of orthodontic treatment, the bite may require adjustment (“occlusal adjustment”).
- _____ Atypically-shaped, erupting, and/or missing teeth may affect aligner adaptation and may affect the ability to achieve the desired results.
- _____ Treatment of severe open bite, severe overjet, mixed dentition, and/or skeletally narrow jaw may require supplemental treatment in addition to aligner treatment.
- _____ Supplemental orthodontic treatment, including the use of bonded buttons, orthodontic elastics, auxiliary appliances/dental devices (e.g. temporary anchorage devices, sectional fixed appliances), and/or restorative dental procedures may be needed for more complicated treatment plans where aligners alone may not be adequate to achieve the desired outcome.
- _____ Teeth which have been overlapped for long periods of time may be missing the gingival tissue below the interproximal contact once the teeth are aligned, leading to the appearance of a “black triangle” space.
- _____ Aligners are not effective in the movement of dental implants.
- _____ General medical conditions and use of medications can affect orthodontic treatment;
 - _____ Health of the bone and gums which support the teeth may be impaired or aggravated;
 - _____ Oral surgery may be necessary to correct crowding or severe jaw imbalances that are present prior to wearing the Invisalign product. If oral surgery is required, risks associated with anesthesia and proper healing must be taken into account prior to treatment;
 - _____ A tooth that has been previously traumatized, or significantly restored may be aggravated. In rare instances the useful life of the tooth may be reduced, the tooth may require additional dental treatment such as endodontic and/or additional restorative work and the tooth may be lost;
 - _____ Existing dental restorations (e.g. crowns) may become dislodged and require re-cementation or in some instances, replacement;
 - _____ Short clinical crowns can pose appliance retention issues and inhibit tooth movement;

**INFORMED CONSENT AND AGREEMENT
FOR THE INVISALIGN PATIENT - CONTINUED**

- _____ The length of the roots of the teeth may be shortened during orthodontic treatment and may become a threat to the useful life of teeth;
- _____ Product breakage is more likely in patients with severe crowding and/or multiple missing teeth;
- _____ Orthodontic appliances or parts thereof may be accidentally swallowed or aspirated;
- _____ In rare instances, problems may also occur in the jaw joint, causing joint pain, headaches or ear problems;
- _____ Allergic reactions may occur; and
- _____ Teeth that are not at least partially covered by the aligner may undergo supraeruption;
- _____ In rare instances patients with hereditary angioedema (HAE), a genetic disorder, may experience rapid local swelling of subcutaneous tissues including the larynx. HAE may be triggered by mild stimuli including dental procedures.

INFORMED CONSENT

I have been given adequate time to read and have read the preceding information describing orthodontic treatment with Invisalign aligners. I understand the benefits, risks, alternatives and inconveniences associated with treatment as well as the option of no treatment. I have been sufficiently informed and have had the opportunity to ask questions and discuss concerns about orthodontic treatment with Invisalign products with my doctor from whom I intend to receive the treatment. I understand that I should only use the Invisalign products after consultation and prescription from an Invisalign trained doctor, and I hereby consent to orthodontic treatment with Invisalign products that have been prescribed by my doctor.

Due to the fact that orthodontics is not an exact science, I acknowledge that my doctor and Align Technology, Inc. ("Align") have not and cannot make any guarantees or assurances concerning the outcome of my treatment. I understand that Align is not a provider of medical, dental or health care services and does not and cannot practice medicine, dentistry or give medical advice. No assurances or guarantees of any kind have been made to me by my doctor or Align, its representatives, successors, assigns, and agents concerning any specific outcome of my treatment.

I authorize my doctor to release my medical records, including, but not limited to, radiographs (x-rays), reports, charts, medical history, photographs, finding, plaster models, impressions of teeth, or intra-oral scans, prescriptions, diagnosis, medical testing, test results, billing, and other treatment records in my doctor's possession ("Medical Records") (i) to other licensed dentists or orthodontists and organizations employing licensed dentists and orthodontists and to Align, its representatives, employees, successors, assigns, and agents for the purposes of investigating and reviewing my medical history as it pertains to orthodontic treatment with product(s) from Align and (ii) for educational and research purposes.

I understand that use of my Medical Records may result in disclosure of my "individually identifiable health information" as defined by the Health Insurance Portability and Accountability Act ("HIPAA"). I hereby consent to the disclosure(s) as set forth above. I will not, nor shall anyone on my behalf seek legal, equitable or monetary damages or remedies for such disclosure. I acknowledge that use of my Medical Records is without compensation and that I will not nor shall anyone on my behalf have any right of approval, claim of compensation, or seek or obtain legal, equitable or monetary damages or remedies arising out of any use such that comply with the terms of this Consent.

A photostatic copy of this Consent shall be considered as effective and valid as an original. I have read, understand and agree to the terms set forth in this Consent as indicated by my signature below.

Signature

Print Name

Address

City, State, Zip

Date

Witness

Print Name

*Signature of Parent/Guardian**

**If signatory is under 21, the parent or legal Guardian must also sign to signify agreement.*